

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently Amended) A fuel cell system comprising:
 - a fuel cell;
 - an electric power storing device;
 - an electric power supplying device for supplying electric power to a load from the fuel cell and the electric power storing device; and
 - a threshold value adjusting device for adjusting a reference value according to an ~~output~~ internal electromotive voltage of the fuel cell, such that the reference value decreases as the ~~output~~ internal electromotive voltage of the fuel cell, when stopped, decreases,

wherein the electric power supplying device includes intermittent operation device for stopping operation of the fuel cell when a driving power required by the load is smaller than the reference value, and starting the stopped operation of the fuel cell when the driving power required by the load is equal to or larger than the reference value.
2. (Previously Presented) The fuel cell system according to claim 1, wherein
 - the threshold value adjusting device decreases the reference value according to a decrease in the internal electromotive force in the fuel cell such that a time at which the operation of the fuel cell is started is relatively advanced.
3. (Previously Presented) The fuel cell system according to claim 1, wherein
 - the threshold value adjusting device stores data related to the reference value that needs to be set according to the internal electromotive force in the fuel cell.
4. (Previously Presented) The fuel cell system according to claim 1, wherein

the reference value includes a first reference value and a second reference value that is larger than the first reference value; the intermittent operation device stops the operation of the fuel cell when the driving power required by the load is smaller than the first reference value, and starts the stopped operation of the fuel cell when the driving power required by the load is equal to or larger than the second reference value; and the threshold adjusting device adjusts the second reference value according to the internal electromotive force in the fuel cell whose operation has been stopped.

5. (Previously Presented) The fuel cell system according to claim 4, wherein
the threshold value adjusting device decreases the second reference value according to a decrease in the internal electromotive force in the fuel cell such that a time at which the operation of the fuel cell is started is relatively advanced.
6. (Previously Presented) The fuel cell system according to claim 4, wherein
the threshold value adjusting device stores data related to the second reference value that needs to be set according to the internal electromotive force in the fuel cell.
7. (Previously Presented) The fuel cell system according to claim 1, wherein
the electric power storing device includes at least one of a secondary battery or a capacitor.
8. (Currently Amended) An electric vehicle comprising:
a motor that generates power for the vehicle; and
a fuel cell system that includes a fuel cell, an electric power storing device, and an electric power supplying device for supplying electric power to the motor from the fuel cell and the electric power storing device,
wherein the electric power supplying device includes an intermittent operation device for stopping operation of the fuel cell when a driving power required by the load including the motor is smaller than a reference value, and starting the stopped operation

of the fuel cell when the driving power required by the load is equal to or larger than the reference value,

wherein the reference value is adjusted by a threshold value adjusting device that adjusts the reference value according to an ~~output~~ internal electromotive voltage of the fuel cell, such that the reference value decreases as the ~~output~~ internal electromotive voltage of the fuel cell, when stopped, decreases.

9. (Previously Presented) The electric vehicle according to claim 8, wherein
the reference value includes a first reference value and a second reference value that is larger than the first reference value; the intermittent operation device stops the operation of the fuel cell when the driving power required by the load is smaller than the first reference value, and starts the stopped operation of the fuel cell when the driving power required by the load is equal to or larger than the second reference value; and the threshold adjusting device adjusts the second reference value according to the internal electromotive force in the fuel cell whose operation has been stopped.
- 10 – 14. (Canceled)
15. (Previously Presented) The fuel cell system according to claim 4, wherein
the electric power storing device includes at least one of a secondary battery or a capacitor.
16. (Canceled)
17. (Previously Presented) The fuel cell system according to claim 4, wherein
the threshold value adjusting device increases the second reference value according to an increase in the internal electromotive force in the fuel cell.